Fieldturf

NAME	TOTAL THICKNESS	COLOURS	INFILL	APPLICATION
KIKUYU TURF	30 MM	NATURAL GREEN	NIL	GARDEN, INDOOR GARDEN, PATIOS, LANDSCAPE, ROOFTOPS
BUFFALO TURF	30 MM	GREEN	SILICA SAND	GARDEN, INDOOR GARDEN, PATIOS, LANDSCAPE, ROOFTOPS, MULTIFUNCTIONAL
KENTUCKY TURF	20 MM	NATURAL GREEN	NIL	GARDEN, INDOOR GARDEN, PATIOS, LANDSCAPE, ROOFTOPS
PASPALUM TURF	30 MM	NATURAL GREEN	SILICA SAND	GARDEN, INDOOR GARDEN, PATIOS, LANDSCAPE, ROOFTOPS, MULTIFUNCTIONAL
EVERGREEN TURF	40 MM	GREEN	NIL	GARDEN, INDOOR GARDEN, PATIOS, LANDSCAPE, ROOFTOPS
BERMUDA TURF	30 MM	NATURAL GREEN	NIL	GARDEN, INDOOR GARDEN, PATIOS, LANDSCAPE, ROOFTOPS
BENT TURF	13 MM	GREEN	NIL	PUTTING GREEN, MULTIFUNCTIONAL

OUR GUIDE TO PROPER CARE:

Your artificial turf is an investment in comfort and style. To keep it looking good and lasting longer, proper care and attention is required in the installation and maintenance thereof. To get the most out of your turf, and to keep the Nouwens Carpets Guarantee and Warranty in place. It is important to adhere to the following maintenance procedures (SANS 10245), as well as the care instructions on the Fieldturf website.

- •Colours may vary within a commercial tolerance from batch to batch. Do not install different dye batches together in the same installation.
- •In the instance of a cut-pile product, the pile lying in different directions has varied effects on light reflection. New owners of this type of product should be aware that this is a desirable characteristic, sometimes called shading, and is by no means a defect.
- Product specifications are based on averages from normal manufacturing tolerances. Such variations do not effect product performance.
- •This product is guaranteed by Nouwens Carpets for a period of 5 years against any patent and latent defects in the manufacturing process.
- •Pile pressure marks from the likes of furniture, and soiling are not manufacturing defects.
- For non-permeable surfaces Fieldturf must be adhered to the substrate using a grid pattern of adhesive with a 2-3mm trowel. See technical training document.
- Fieldturf products are manufactured using synthetic materials and are therefore susceptible to abrasion marking and concentrated focal points of heat.
- •Note: Fieldturf products are susceptible to contraction and expansion when exposed to variable weather conditions. Fieldturf has been designed for outdoor purposes.

INSTALLATION

- Our artificial turf must be installed by a professional installer in accordance with the code of practice for the installation of textile floor coverings (SANS 10186), where applicable.
- While Fieldturf can be installed as a Do-It-Yourself project, it is recommended that shaped or intricate installations be installed professionally to ensure optimal product performance.
- •Infill quantities are critical to product performance.
- •Care must be taken during installation with regards to reflective surfaces (excessive concentrated heat)
- Nouwens Carpets accepts no responsibility for damage to broadloom that has not been installed in accordance with those guidelines.
- •Installation must take place after construction is complete. Nouwens Carpets will accept no responsibility nor honour any guarantee or warranty for installations made during construction work that are inadequately protected against damage.
- For information regarding installation contact your Nouwens Carpets Representative for a detailed installation manual.

MAINTENANCE OF YOUR ARTIFICIAL TURF

- Correct and regular maintenance will increase the lifespan and enhance the appearance of your Turf. Cleaning should be proportional to the amount of soiling your turf is exposed to.
- •Daily, or at the very least, weekly brushing with a firm bristle broom will keep turf clean and upright (do not use steel brushes). Leaves, rough dirt and other dry debris can be removed with a flexible rake or leaf blower, or hosed away (be careful not to remove too much infill material).
- •Never use solvents on a Fieldturf installation. Washing with cold or warm water is sufficient, but for harsh chemical spills, please refer to the manufacturer. To remove solids (e.g. chewing gum and pet faeces) carefully scoop the solids off the turf; spilt liquids can be washed away with water. Burning materials such as cigarettes and coals should be removed as soon as possible.

For assistance with practical advice on turf selection, fitting and professional aftercarecontact a Nouwens Nouwens Appointed Dealer listed on our website: www.nouwenscarpets.co.za

National: 0860 00 0058 Johannesburg: 011 608 4435 Cape Town: 021 465 2211 Durban: 031 502 5730

QUALITY MANAGEMENT SYSTEM

Nouwens Carpets Quality Management System is certified ISO 9001. Every product carries the ISO 9001 logo as your assurance of quality and our commitment to maintaining the highest international standard.

FIVE YEAR MANUFACTURING GUARANTEE

Our products are covered by the Nouwens Carpets 5-Year guarantee against patent and latent defects in the manufacturing process. All claims will be treated in accordance with the South African Manufacturers Standard Claims Policy.

Applicable ranges only. However, these products must be maintained and cleaned in accordance with the written instructions of Nouwens Carpets. Devaluation of 20% per annum will apply if material being replaced is due to a manufacturing defect. This guarantee does not cover tears, cuts or burns, or damage relating to the improper use or application of improper cleaning agents.

8- YEAR LIMITED UV WARRANTY

Nouwens Carpets products are covered by 8-year UV Warranty, which states that when installed and maintained as recommended by Nouwens Carpets. These products are covered for fibre degradation and colour fastness for a period of 8 years. Applicable ranges only.

FIBRE TYPE

This synthetic yarn, is colour fast, stain-resistant, anti-microbial and anti-allergenic, and is not normally affected by insects, mold, or mildew.

SOUTH AFRICAN CARPET MANUFACTURERS STANDARD CLAIMS POLICY

Nouwens Carpets adheres to stringent quality control standards with regard to the manufacturing processes and the materials used. In the unlikely event of a manufacturing or material defect being in your Nouwens Carpets product, your claim will be assessed according to the terms of the south African Carpets Manufacturers Standard Claims Policy, subject to a pro-rata devaluation of 20% per

The terms and conditions of this policy can be requested from your dealer, any Nouwens Carpets branch or viewed at www.nouwenscarpets.co.za.

ENVIRONMENTAL

- Nouwens Carpets is a certified Green Building Council South Africa (GBCSA) Member.
- •Fieldturf Products are lead free.

DISCLAIMER

RANGES

Nouwens Carpets reserves the right to change and update its product ranges at any time. Before designing your installation using any named product and its colour way. Please contact your dealer to ensure availability.

ARTIFICIAL TURF CARE AND STAIN REMOVAL

Nouwens Carpets cannot be held responsible for any damage that may occur to turf as a result of the incorrect application of maintenance and stain removal procedures. Consult your dealer or Nouwens Carpets website for details on cleaning methods.





Nouwens Kentucky turf 20 mm



Nouwens Buffalo turf 30 mm



Nouwens Paspalum turf 30 mm



Nouwens Bermuda turf 30 mm



Nouwens Evergreen turf 40 mm



Nouwens Kikuyu turf 30 mm



Nouwens Bent sport turf 15 mm